•	Application No.	Applicant(s)
Notice of Allowability	10/804,228	KANAOKA ET AL.
	Examiner	Art Unit
	Patricia Hightower	1711
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to the response filed June 21, 2005.		
2. The allowed claim(s) is/are 1-11.		
 3.		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) 🔲 including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5. Notice of Informal D	stant Application (PTO 152)
 Notice of References Cited (PTO-092) Divide of Draftperson's Patent Drawing Review (PTO-948) 	6. ☐ Interview Summary	atent Application (PTO-152) (PTO-413),
3. ⊠ Information Disclosure Statements (PTO-1449 or PTO/SB/0	Paper No./Mail Date 8), 7. Examiner's Amendm	
Paper No./Mail Date <u>5/25/05</u> 4. Examiner's Comment Regarding Requirement for Deposit		nt of Reasons for Allowance
of Biological Material	9.	

Art Unit: 1711

Reasons For Allowance

The following is an examiner's statement of reasons for allowance: In view of the applicants' response filed June 21, 2005 in which it was established that the Litt et al (USP 5,586,561) does not teach as claimed a polymer electrolyte comprising a sulfonated product denoted by the formula (I), ---[--X--]_x ----[--Y--]_y—[Z--]_z--, wherein the sulfonated product must have at least two Y structures in a row, when "y" is an integer of two or more and the sulfonated product comprises the combination of the structures Y and X and/or the structure Z and the two aromatic rings are directly combined at the ends of structures Y and X; that exhibits properties such as proton conductivity, hot water resistance and Fenton's reagent resistance and the membrane electrode assembly comprising an electrolyte membrane comprising the polymer denoted by formula (I); thus claims 1-11 are allowable.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Prior Art

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. These references are cited to show the state of the art of polymer electrolytes and proton conductive membranes and membrane electrode assemblies; Yan, Jacob, Asano, Shinoda, JSR CORP, TOYOBO CO LTD and Ogata.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Patricia Hightower whose telephone number is (571) 272-1073. The examiner can normally be reached on M-F from 9:30 A.M. - 6:00 P.M.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, James Seidleck can be reached on (571) 272-1078. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Patricia H. Hightower Primary Examiner Art Unit 1711

P. Hightower:ph October 31, 2005